SAFETY DATA SHEET

In accordance with 1907/2006 annex II 2015/830 and 1272/2008 (All references to EU regulations and directives are abbreviated into only the numeric term)



Issued 2021-08-30 Version number 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Flinga Disktvål/ Flinga Solid Dish Soap

1.2. Relevant identified uses of the substance or mixture and uses advised against Identified uses Dishwasher detergent

1.3. Details of the supplier of the safety data sheet

Victoria Scandinavian Soap AB
Muskötgatan 10
SE-254 66 Helsingborg
Sweden
+46 (0)42-151075
victoria@victoriasoap.se

1.4. Emergency telephone number

Acute cases: Call 112, request poison information.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Upon assessment, this mixture is not classified as hazardous according to 1272/2008

2.2. Label elements

Hazard pictogram	Not applicable
Signal word	Not applicable
Hazard statement	Not applicable

Supplemental hazard information

EUH210 Safety data sheet available on request.

2.3. Other hazards

This product does not contain any substances that are assessed to be a PBT or a vPvB Specific concentration limits: Alcohols, C12-14, ethoxylated, sulfates, sodium salts Eye Dam. 1; $C \ge 10 \%$ Eye Irrit. 2; $5 \% \le C < 10 \%$.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Note that the table shows known hazards of the ingredients in pure form. These hazards are reduced or eliminated when mixed or diluted, see Section 16d.

Constituent	Classification	Concentration
ALCOHOLS, C12-14, ETH	OXYLATED, SULFATES, SODIUM SALTS	
CAS No: 68891-38-3 EC No: 500-234-8 REACH: 01-2119488639-16	Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H315, H318, H412	<3 %
ALCOHOLS, C12-14, ETH	OXYLATED	
CAS No: 68439-50-9 EC No: 500-213-3	Eye Dam. 1, Aquatic Acute 1, Aquatic Chronic 3; H318, H400, H412	<1 %

Explanations to the classification and labelling of the ingredients are given in Section 16e. Official abbreviations are printed in normal font. Text in italics are specifications and/or complements used in the calculation of the classification of this mixture, see Section 16b.

Contents according to 648/2004.

>30% Soap.

<5% Anionic surfactants.

<5% Amphoteric surfactants.

<5% Non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

Generally

In case of concern, or if symptoms persist, call a doctor/physician.

Upon breathing in

Allow the injured person to rest in a warm place with fresh air, if symptoms persist seek medical attention.

Upon eye contact

Rinse the eye for several minutes with lukewarm water. If irritation persists call a doctor.

Upon skin contact

Normal washing of the skin is considered sufficient; If nevertheless symptoms do occur, contact a physician.

Upon ingestion

Rinse nose, mouth and throat with water.

Immediately drink a few glasses of water or milk.

Upon ingestion of larger amounts, consult a doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Upon eye contact

Transient eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Extinguish with water mist, powder, carbon dioxide or alcoholresistant foam.

5.2. Special hazards arising from the substance or mixture

In case of fire, substances hazardous to health, or substances harmful in other respects, may be dispersed.

5.3. Advice for fire-fighters

Protective measures should be taken regarding other material at the site of the fire. In case of fire use proper breathing apparatus. Wear full protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid inhalation and exposure to skin and eyes. Use recommended safety equipment, see section 8. Ensure good ventilation.

6.2. Environmental precautions

Avoid release of large quantities of undiluted product to drains.

6.3. Methods and material for containment and cleaning up Collect.

Rinse area thoroughly with water.

6.4. Reference to other sections

See section 8 and 13 for personal protection equipment and disposal considerations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Take the necessary preventive and protective measures for safe handling. Store this product separately from food items and keep it out of the reach of children and pets. Do not eat, drink or smoke in premises where this product is handled. Implement appropriate engineering controls if necessary, see Section 8.

7.2. Conditions for safe storage, including any incompatibilities

This product should be stored well out of reach of young children and kept safely apart from products intended for consumption.

Always use sealed and visibly labeled packages.

Store in a cool and dry place (above freezing temperature and not greater than 30°C). Store in a well-ventilated space.

7.3. Specific end uses

See identified uses in Section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1. National limit values GLYCEROL

United Kingdom (EH40/2005)

Time-weighted-average exposure limit (TWA) 10 mg/m³ (mist)

DNEL

No data available.

PNEC

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

Environmental protection target	PNEC value
Fresh water	0.24 mg/L
Freshwater sediments	5.45 mg/kg dw
Marine water	0.024 mg/L
Marine sediments	0.545 mg/kg dw
Microorganisms in sewage treatment	10000 mg/L
Soil (agricultural)	0.946 mg/kg dw
Intermittent	0.071 mg/L

8.2. Exposure controls

The risks posed by the product or its constituents must be considered in the task specific risk assessment, in accordance with current working environment legislation. The risk assessment should be reviewed regularly and updated if necessary.

8.2.1. Appropriate engineering controls

The ventilation in the workplace must ensure an air quality that meets the requirements of the current working environment legislation. Local exhaust ventilation should be used to remove airborne contaminants at the source.

Eye/face protection

Eye protection should be worn if there is any danger of direct exposure or splashing.

Skin protection

Wear suitable protective clothing when necessary.

Protective gloves are normally not needed due to the properties of this product, but may be necessary for other reasons, e.g. mechanical risks, temperature conditions or microbiological risks.

The most suitable protective glove should be chosen in consultation with the glove supplier, taking into account the risk assessment for the specific task and the properties of the chemicals involved. Note that the breakthrough time of the material is affected by the duration of the exposure, temperature conditions, abrasion, etcetera.

Respiratory protection

Respiratory protective equipment is not normally required when working with this product, given that adequate ventilation is provided.

The most appropriate respiratory protective equipment should be decided in consultation with the appointed safety representative, taking into account the risk assessment for the specific task.

8.2.3. Environmental exposure controls

For limitation of environmental exposure, see Section 12.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

a) Appearance	Form: solid.
b) Odour	characteristic
c) Odour threshold	Not indicated
d) pH	6 - 9
e) Melting point/freezing point	Not indicated
f) Initial boiling point and boiling range	Not indicated
g) Flash point	Not indicated
h) Evaporation rate	Not indicated
i) Flammability (solid, gas)	Not applicable
j) Upper/lower flammability or explosive limits	Not indicated
k) Vapour pressure	Not indicated
1) Vapour density	Not indicated
m) Relative density	Not indicated
n) Solubility	Not indicated
o) Partition coefficient: n-octanol/water	Not applicable
p) Auto-ignition temperature	Not indicated
q) Decomposition temperature	Not indicated
r) Viscosity	Not indicated
s) Explosive properties	Not applicable
t) Oxidising properties	Not applicable

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product contains no substances which can lead to hazardous reactions at normal use.

10.2. Chemical stability

The product is stable at normal storage and handling conditions.

10.3. Possibility of hazardous reactions

At normal handling and use, hazardous reactions will not occur.

10.4. Conditions to avoid

Avoid heat, sparks and open flames. Avoid frost.

10.5. Incompatible materials

Avoid contact with acids, bases and oxidizing agents.

10.6. Hazardous decomposition products

None under normal conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on possible health hazards are based on experience and / or toxicological properties of several components in the product.

Acute toxicity

The product is not classified as acutely toxic.

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

LD50 rat 24h: 4100 mg/kg Orally

LD50 rabbit 72h: 1 - 4 mg/kg Dermally

Skin corrosion/irritation

The product is not classified for skin corrosion/irritation.

Serious eye damage/irritation

The product is not classified for serious eye damage/eye irritation.

Respiratory or skin sensitisation

The product is not classified as sensitising.

Germ cell mutagenicity

The product is not classified as mutagen.

Carcinogenicity

The product is not classified as carcinogenic.

Reproductive toxicity

The product is not classified as a reproductive toxicant.

STOT-single exposure

The product is not classified for specific organ toxicity after single exposure.

STOT-repeated exposure

The product is not classified for specific organ toxicity after repeated exposure.

Aspiration hazard

The product is not classified as being toxic for aspiration.

SECTION 12: Ecological information

12.1. Toxicity

The product, according to current criteria and based on available information, is considered not to be harmful to the environment.

Avoid larger spills in soil, water and drains.

ALCOHOLS, C12-14, ETHOXYLATED, SULFATES, SODIUM SALTS

EC50 Freshwater water flea (Daphnia magna) 48 h: 7.4 mg/l EC50 Algae 72 h: 27.7 mg/l LC50 Fish 96h: 7.1 mg/l LC50 Fish 24h: 1 - 1.8 mg/L NOEC Algae 72h: 0.95 mg/l

12.2. Persistence and degradability

The product degrades in the natural environment.

12.3. Bioaccumulative potential

Neither this product, nor its contents, accumulates in nature.

12.4. Mobility in soil

The product is soluble in water and is therefore mobile in soil and water.

12.5. Results of PBT and vPvB assessment

This product does not contain any substances that are assessed to be a PBT or a vPvB.

12.6. Other adverse effects

No known effects or hazards.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste handling of the product The product is not classified as hazardous waste.

Residual, old or contaminated product should be disposed of at a waste management facility.

Avoid discharge of undiluted product into sewers.

Empty, rinsed packaging is sent for recycling where practicable.

See directive 2008/98/EC on waste. Observe national or regional provisions on waste management.

SECTION 14: Transport information

Where not otherwise stated the information applies to all of the UN Model Regulations, i.e. ADR (road), RID (railway), ADN (inland waterways), IMDG (sea), and ICAO (IATA) (air).

14.1. UN number

Not classified as dangerous goods

14.2. UN proper shipping name

Not applicable

- **14.3. Transport hazard class(es)** Not applicable
- **14.4. Packing group** Not applicable
- **14.5. Environmental hazards** Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable

14.8 Other transport information

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Not indicated.

15.2. Chemical safety assessment

Assessment and chemical safety report in accordance with 1907/2006 Annex I has not yet been performed.

SECTION 16: Other information

16a. Indication of where changes have been made to the previous version of the safety data sheet Revisions of this document

This is the first version

16b. Legend to abbreviations and acronyms used in the safety data sheet

Full texts for Hazard Class and Category Code mentioned in section 3

- Skin Irrit. 2Skin corrosion/irritation, Hazard Category 2 Skin Irrit. 2, H315 Causes skin irritationEye Dam. 1Serious eye damage/eye irritation, Hazard Category 1 Eye Dam. 1, H318 Causes serious eye
damage
- Aquatic Chronic 3 Hazardous to the aquatic environment Chronic Hazard, Category 3 Aquatic Chronic 3, H412 -Harmful to aquatic life with long lasting effects
- Aquatic Acute 1 Hazardous to the aquatic environment Acute Hazard, Category 1 Aquatic Acute 1, H400 Very toxic to aquatic life

Explanations of the abbreviations in Section 14

ADR European Agreement concerning the International Transport of Dangerous Goods by Road

- RID Regulations concerning the International Transport of Dangerous Goods by Rail
- IMDG International Maritime Dangerous Goods Code
- ICAO International Civil Aviation Organization (ICAO, 999 University Street, Montreal, Quebec H3C 5H7, Canada)

16c. Key literature references and sources for data Sources for data

Primary data for the calculation of the hazards has preferentially been taken from the official European classification list, 1272/2008 Annex I, as updated to 2021-08-30.

Where such data was not available, alternative documentation used to establish the official classification was used, e.g. IUCLID (International Uniform Chemical Information Database). As a second alternative, information was used from reputable international chemical industries, and as a third alternative other available information was used, e.g. material safety data sheets from other suppliers or information from non-profit associations, where reliability of the source was assessed by expert opinion. If, in spite of this, reliable information could not be sourced, the hazards were assessed by expert opinions based on the known hazards of similar substances, and according to the principles in 1907/2006 and 1272/2008.

Full texts for Regulations mentioned in this Safety Data Sheet

- 1907/2006 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC
- 2015/830 COMMISSION REGULATION (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)
- 1272/2008 REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006
 C48/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of
- 648/2004 REGULATION (EC) No 648/2004 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 31 March 2004 on detergents
- 2008/98/EC DIRECTIVE 2008/98/EC OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 19 November 2008 on waste and repealing certain Directives

16d. Methods of evaluating information referred to in 1272/2008 Article 9 which was used for the purpose of classification

Hazard calculation for this mixture has been performed as a cumulative assessment with the aid of expert assessments in accordance with 1272/2008 Annex I, where all available information which may be significant to establishing the hazards of the mixture was assessed together, and in accordance with 1907/2006 Annex XI.

16e. List of relevant hazard statements and/or precautionary statements

Full texts for hazard statements mentioned in section 3

- H315 Causes skin irritation
- H318 Causes serious eye damage
- H412 Harmful to aquatic life with long lasting effects
- H400 Very toxic to aquatic life

16f. Advice on any training appropriate for workers to ensure protection of human health and the environment Warning for misuse

Not indicated.

Other relevant information

Not indicated

Editorial information



This material safety data sheet has been prepared and checked by KemRisk®, KemRisk Sweden AB, Platensgatan 8, SE-582 20 Linköping, Sweden, <u>www.kemrisk.se</u>